PWS Information

Purpose of this worksheet: For water systems to document basic system information.

Facility Information			
Water System Name:			
City of Seal Beach			
PWSID:	Population Served (number of people):	Number of Service Connections:	PWS Type:
CA3010041	**24,352**	**5,990**	☑ CWS ☐ NTNCWS
Mailing Address			
Street or P.O. Box:			
211 Eighth Street			
City or Town:		State:	Zip Code:
Seal Beach		**CA**	**90740**
System Contact Person			
Name:		Title:	
Darrick Escobedo		**Water Services Supervisor**	
Telephone:		Email:	
(562) 431-2527 x 1409		descobedo@sealbeachca.gov	
Person Who Prepared Inventory (if different from above)			

Inventory Methodology

Enter Date Last Updated:	10/15/24

Purpose of this worksheet: For water systems to document the methods and resources they used to develop and update their inventory.

Part 1: Historical Records Review

Type of Record	Describe the Records Reviewed for Your Inventory
1. Construction Records and Plumbing Codes *Examples: Local ordinance adopting an international plumbing code. Permits for replacing lead service lines.*	NA
2. Water System Records *Examples: Capital improvement plans. Standard operating procedures. Engineering standards.*	As-builts, capital improvement plans, and engineering standards.
3. Distribution System Inspections and Records *Examples: Distribution system maps. Tap cards. Service line repair/replacement records. Inspection records. Meter installation records.*	Visual inspections were conducted at all meter pits to identify the material used in both the system-owned and customer-owned sections of the service line. Whenever possible, the inspector examined the portion of the customer-owned service line before it entered into the building to confirm the material observed in the meter box.
4. Other Records	NA

Part 2: Identifying Service Line Material During Normal Operations

1. During which normal operating activities are you collecting information on service line material? Check all that apply.

- ☐ Water meter reading
- ☐ Water meter repair or replacement
- ☑ Service line repair or replacement
- ☑ Water main repair or replacement
- ☐ Backflow prevention device inspection
- ☐ Other

If "Other", please explain:

2. Did you develop or revise standard operating procedures to collect service line material information during normal operation?	*No*

If "Yes", please describe:

Part 3: Service Line Investigations

1. Identify the service line investigation methods your system used to prepare the inventory (check all that apply).

- ☑ Visual Inspection
- ☐ Customer Self-Identification
- ☐ Pipe Dating
- ☐ Pipe Diameter
- ☐ Water Quality Sampling - Targeted
- ☐ Water Quality Sampling - Flushed
- ☐ Water Quality Sampling - Sequential
- ☐ Water Quality Sampling - Other
- ☐ Predictive Models or Statistical Analysis
- ☐ Interpolation
- ☐ Interviews
- ☐ Emerging Methods
- ☐ Other

If "Other" or "Emerging Methods," please explain:

2. If "Predictive Modeling" or "Interpolation," please briefly describe the model and inputs used.

NA

3. How did you prioritize locations for service line materials investigations? For example, did you consider environmental justice and/or sensitive populations, did you use predictive modeling, and/or did you target areas with high number of unknowns?

A comprehensive investigation was conducted using a consistent methodology throughout the entire system.

Detailed Inventory

Date Last Updated: 10/15/2024

Purpose of this worksheet: To provide a template for water systems to track materials for each service line in their distribution system.

General Instructions: Each row in this worksheet represents one service line connecting the water main to the customer's plumbing. The columns with the aqua shading are required for the Inventory Summary tab. Note that users can freeze panes to enable them to see the headings and notes when entering data. The worksheet includes examples rows and is formatted for approximately 10,000 entries. Please refer to the red triangle in the upper corner for additional instructions.

Error Count: 0
Rows Missing Information: 0

Location Information			System-Owned Portion										Customer-Owned Portion								
Unique Service Line ID	Street Address	Other Locational Identifier	System-Owned Portion Service Line Material Classification	Lead Connector Present?	If Material Anything Other than "Lead" in Column E, Was Material Ever Previously Lead?	Service Line Installation Date	Service Line Size (inches)	Basis of Material Classification	Was the Service Line Material Field Verified?	Describe the Field Verification Method	Enter the Date of Field Verification	Notes	Customer-Owned Portion Service Line Material Classification	Service Line Installation Date	Service Line Size (inches)	Basis of Material Classification	Was the Service Line Material Field Verified?	Describe the Field Verification Method	Enter the Date of Field Verification	Notes	Entire Service Line Material Classification [If error or "Missing Information" appears, ensure all required columns are filled correctly. See instructions]
	111 Marina Dr.	Decor	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2023		Non-Lead - Plastic	Unknown	4"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2023		Non-lead
	16 Marina Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	10 Marina Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	310 Regatta Way		Non-Lead - Copper	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	310 Spinnaker Way		Non-Lead - Copper	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	11 Marina Dr	Seal Beach Shores West	Non-Lead - Plastic	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	11 Marina Dr	Seal Beach Shores East	Non-Lead - Plastic	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	333 1st St	Eaves Main Building	Non-Lead - Plastic	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	333 G 1st St	Eaves	Non-Lead - Plastic	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	333 F 1st St	Eaves	Non-Lead - Plastic	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	333 H 1st St	Eaves	Non-Lead - Plastic	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	333 K 1st St	Eaves	Non-Lead - Plastic	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	333 E 1st St	Eaves	Non-Lead - Plastic	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	333 1st St Pro	Eaves	Non-Lead - Plastic	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	333 D 1st St	Eaves	Non-Lead - Plastic	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	333 B 1st St	Eaves	Non-Lead - Plastic	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	333 A 1st St	Eaves	Non-Lead - Plastic	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	333 C 1st St	Eaves	Non-Lead - Plastic	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	100 1st St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	101 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	103 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	105 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	107 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	117 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	111 2nd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	113 2nd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	115 2nd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	119 2nd St Unit A		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	119 2nd St Unit B		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	121 2nd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	123 2nd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	125 2nd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	127 2nd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	129 2nd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	131 2nd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	133 2nd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	134 1st St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	124 1st St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	122 1st St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	120 1st St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	118 1st St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	116 1st St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	114 1st St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	112 1st St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	201 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	207 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	209 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	211 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	213 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	215 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	111 115 3rd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	119 3rd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	121 3rd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	222 Central Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	126 2nd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	124 2nd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	120 2nd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	114 2nd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	112 2nd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	301 Ocean Ave		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	305 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	307 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	311 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead

	317 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	111 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	113 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	115 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	117 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	119 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	125 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	124 3rd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	126 3rd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	122 3rd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	120 3rd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	118 3rd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	116 3rd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	114 3rd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	112 3rd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	401 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	403 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	409 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	411 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	413 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	415 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	417 419 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	111 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	113 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	115 5th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	119 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	121 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	123 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	127 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	129 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	412 Central Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	134 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	132 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	130 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	128 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	124 & 126 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	122 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	120 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	116 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	112 114 4th Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	501 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	505 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	507 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	509 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	513 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	515 Ocean & 515 1/2 Ocean		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	517 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	519 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	111 6th St # A		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	111 6th St # B		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	113 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	115 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	121 6th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	123 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	125 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	127 6th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	131 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	135 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	139 6th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	143 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	510 516 Central Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	504 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	502 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	142 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	140 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	138 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	134 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	130 5th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	126 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	124 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	120 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	116 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead

	114 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	601 Ocean Ave Unit A		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	605 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	607 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	609 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	611 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	615 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	617 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	111 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	113 1/2 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	113 A 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	119 7th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	121 7th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	129 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	131 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	133 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	135 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	137 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	139 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	141 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	143 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	145 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	606 Central Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	602 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	144 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	142 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	140 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	134 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	132 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/23/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	130 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	128 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	120 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	116 118 6th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	112 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	701 Ocean Ave Unit 7		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	705 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	707 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	711 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	715 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	717 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	107 8th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	111 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	113 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	115 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	117 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	119 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	123 8th St Unit D		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	125 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	127 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	718 Central Ave	Fire Station 44	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	148 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	144 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	140 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	138 7th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	134 7th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	130 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	128 1/2 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	128 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	124 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	124 7th St # B		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	122 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	120 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	118 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	116 7th St # A		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	116 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	114 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	801 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	805 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	809 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	829 Ocean Ave	Fresh Cut Creative	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	101 Main Street St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	101 Main St Unit N		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead

	101 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	101 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	111 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	115 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	117 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	119 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	121 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	123 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	123 1/2 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	125 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	127 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	129 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	133 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	137 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	139 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	141 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	143 Main St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	142 8th St	Grace Community Church	Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	138 8th St	Grace Community Church	Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	132 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	128 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	126 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	124 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	122 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	118 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	116 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	112 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	114 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/25/2023		Non-lead
	901 Ocean		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	905 Ocean		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	907 Ocean		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	909 Ocean		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	913 Ocean		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	915 Ocean		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	917 Ocean		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	919 Ocean		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	111 10th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	121 10th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	127 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	129 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	133 10th St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	139 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	141 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	143 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	145 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	148 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	142 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	140 Main St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	136 1/2 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	134 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	132 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	130 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	126 128 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	126 1/2 Main		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	124 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	118 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	116 Main St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	112 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1001 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1007 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1011 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1047 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1019 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	111 11th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	113 11th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	115 11th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	117 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	119 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	121 11th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	123 11th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	125 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead

	127 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	129 11th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	133 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	135 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	137 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	139 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	141 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	143 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	147 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1010 Central		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	148 10th St	First United Methodist Church	Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	142 10th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	140 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	138 10th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	136 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	134 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	132 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	130 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	128 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	126 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	122 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	120 118 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	112 10th St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1101/1103 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1105 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1107 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1109 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1113 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1115 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1117 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1119 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	111 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	113 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	115 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	119 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	121 12th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	125 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	127 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	129 12th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	131 12th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	133 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	135 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	137 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	139 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	143 12th St Meter 1		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	143 12th St Meter 2		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	145 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1120 A Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1102 1106 Central Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	144 11th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	142 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	140 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	138 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	136 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	134 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	130 11th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	128 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	126 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	124 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	122 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	118 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	116 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	114 11th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	112 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1201 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1205 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1207 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1209 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1211/1213 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1215 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1217 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	111 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead

	115 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	117 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	119 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	121 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	123 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	125 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	127 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	131 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	135 13th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	137 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	141 13th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	143 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	145 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	147 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	149 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	153 13th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	155 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1210 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	162 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	160 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	158 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	156 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	154 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	152 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	150 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	148 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	146 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	144 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	140 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	138 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	134 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	132 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	130 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	128 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	126 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	124 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	122 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	120 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	118 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	116 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	114 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	112 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1301 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1303 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1305 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1307 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1309 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1311 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1315 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1321 1/2 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	111 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	115 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	117 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	119 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	121 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	123 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	125 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	127 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	129 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	131 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	133 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	135 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	137 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	141 14th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Galvanized	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	143 14th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	147 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1310 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1302 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	152 13th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	150 13th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	148 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	146 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead

	130 1/2 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	142 13th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	138 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	136 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	134 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	132 13th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	130 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	128 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	126 13th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	124 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	122 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	118 13th St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	116 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	114 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	112 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	112 Central Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	110 Central Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	220 1st St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	220 1st st #3		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	220 1st st #2		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	220 1st St #1		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	220 1st St #4		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	220 1st St #5		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	214 1st St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	212 1st St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	210 1st St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	208 1st st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	206 1st St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	204 1st St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	202 1st St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	201 2nd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	203 2nd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	205 2nd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	207 2nd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	209 2nd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	202 Central Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	204 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	206 Central Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	208 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	210 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	212 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	214 Central Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	216 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	218 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	220 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	213 3rd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	211 3rd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	209 3rd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	207 3rd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	205 3rd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	203 3rd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	221 Central Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	202 2nd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	204 2nd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	206 2nd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	208 2nd st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	210 2nd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	212 2nd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	214 2nd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	216 2nd St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	202 3rd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	204 3rd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	206 3rd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	208 3rd St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	210 3rd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	212 3rd St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	302 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	304 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	306 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	308 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	310 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead

	312 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	314 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	316 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	318 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	320 Central Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	209 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	207 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	205 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	203 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	201 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	200 Marina Dr	Autism Partnership Foundation	Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	215 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	217 Central Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	316 Marina Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	219 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	221 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	301 Central Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	303 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	350 Marina Dr	Apartment Front	Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	305 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	309 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	313 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	315 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	317 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	211 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	213 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	215 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	217 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	219 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	221 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	223 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	225 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	229 4th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	350 Marina Dr	Apartment Back	Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	136 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	138 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	140 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	400 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	401 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	204 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	206 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	208 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	210 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	212 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	214 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	216 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	218 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	220 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	222 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	224 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	226 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	228 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	230 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	232 4th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	234 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	236 4th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	400 Marina Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	412 Marina Dr	Marina Liquor	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	257 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	255 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	253 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	249 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	247 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	245 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	241 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	239 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	237 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	235 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	231 B 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	231 A 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	229 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	227 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead

	225 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	223 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	221 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	431 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	441 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	207 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	205 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	203 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	201 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	202 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	204 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	206 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	208 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	212 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	216 5th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	220 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	222 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	226 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	228 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	230 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	232 5th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	236 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	238 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	240 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	242 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	244 5th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	248 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	250 5th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	252 5th St	Center for Cpiritual Living	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	500 Marina Dr	Center for Cpiritual Living	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	507 Electric		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	255 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	253 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	251 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	249 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	247 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	245 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	241 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	239 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	237 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	235 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	231 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	229 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	225 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	221 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	217 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	215 6th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	211 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	209 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	207 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	525 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	529 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	521 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	202 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	204 6th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	208 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	210 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	214 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	216 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	218 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	220 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	222 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	224 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	226 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	228 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	230 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	232 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	234 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	240 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	242 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	244 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	246 6th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/16/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-lead

	250 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	252 6th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	254 6th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	247 A 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	247 B 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	245 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	241 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	239 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	237 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	233 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	231 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	229 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	225 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	221 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	217 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	215 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	213 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	211 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	209 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	205 7th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	203 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	201 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	707 Central Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	206 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	208 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	210 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	212 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	214 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	216 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	220 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	222 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	226 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	228 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	230 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	232 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	234 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	236 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	238 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	240 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	242 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	244 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	246/248 7th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	707 Electric Ave	Mary Wilson Library	Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	243 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	239 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	237 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	235 8th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	231 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	227 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	225 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	223 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	221 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	801/805 Central Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	201 8th St	Old City Hall	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	206 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	208 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	210 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	212 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	216 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	218 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	220 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	222 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	224 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	226 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	228 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	230 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	232 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	234 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	236 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	240 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	245 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	231 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead

	225 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	221 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	219 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	219 1/2 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	217 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	215 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	211 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	209 Main St Unit B		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	208 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	207 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	205 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	201 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	208 Main St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	210 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	212 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	214 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	216 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	218 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	220 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	222 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	228 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	250 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	227 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	225 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	219 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	217 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	215 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	211 10th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	207 10th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	205 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	925 Central		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	202 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	204 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	206/208 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	210 10th ST		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	212 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	214 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	216 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	218 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	220 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1000 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1050 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	217 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	215 11th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	213 11th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	212 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	211 11th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	207 11th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	201 11th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1103 Central Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1101 Central Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	206 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	208 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	210 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	214 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	218 11th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	211 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	1110 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	209 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	207 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	205 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	203 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/26/2023		Non-lead
	450 Pacific Coast Highway	PCH Plaza	Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	458 pacific Coast Highway	PCH Plaza	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	690 Pacific Coast Highway		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	301 7th St	Automotive Excellence	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	600 Marina Dr	The Pacific Inn	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	711 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	308 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	312 7th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	316 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead

	320 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	322 7th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	700 Marina Dr		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	770 Pacific Coast Highway		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	321 8th St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	317 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	315 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	313 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	311 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	309 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	307 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	305 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	715 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	301 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	805 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	308 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	310 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	312 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	314 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	316 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	318 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	320 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	322 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	324 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	326 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	328 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	330 8th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	332 8th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	800 A Pacific Coast		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	800 Pacific Coast Irr		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	801 Pacific Coast	Chase Bank	Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	347 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	333 Main St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	331 Main St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	329 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	323 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	321 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	317 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	311 Main St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	919 Electric Ave	Sea Coast Community Coast	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	909 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	907 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	302 308 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	318 Main St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	320 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	322 Main St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	328 Main St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	330 Main St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	340 Main St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	348 Main St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	350 Main St	Main & PCG Plaza	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	914 Pacific Coast	Subway	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	347 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	345 10th St	Watersafe Swim School	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	343 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	341 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	339 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	337 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	335 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	333 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	331 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	329 10th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	325 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	323 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	319 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	317 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	315 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	313 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1001 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1003 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1005 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1007 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead

	1009 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1011 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1013 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1015 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1019 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	311 11th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	315 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1196 Pacific Coast	Zoeter Place	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1190 Pacific Coast	Zoeter Place	Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1000 Pacific Coast	Automotive Excellence	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	348 10th St	St. Anne's	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	342 10th St	St. Anne's	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	328 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	326 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	324 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	322 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	320 10th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	318 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	316 10th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1119 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1117 Electric Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1113 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1111 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1107 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1105 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1103 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1101 Electric Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	316 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	318 11th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	322 11th St		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	343 12th St	Preschool	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-lead
	321 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	319 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	315 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	313 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	311 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1201 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1203 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1211 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1213 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1215 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1217 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1219 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	209 13th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	211 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	213 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	215 13th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	217 13th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	221 13th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	223 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	225/227 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	229 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	335 13th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	341 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	343 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	345 13th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	349 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	351 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	355 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	357 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	361 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1244 Pacific Coast	Inflight Surf Shop	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1250 Pacific Coast	Inflight Surf Shop	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1210 Pacific Coast	Donut City	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1200 Pacific Coast	7-Eleven	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	364 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	360 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	360 B 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	360 A 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	358 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	354 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	352 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead

	350 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	348 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	346 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	344 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	342 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	340 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	334 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	332 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	330 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	328 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	326 12th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	324 12th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	320 12th St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	302 13th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	306 13th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	308 13th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	312 13th St		Non-Lead - Copper	no	no	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	316 13th St		Non-Lead - Copper	no	no	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	318 13th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	322 13th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	324 13th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	328 13th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1300 Pacfic Coast	G&M	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1350 Pacfic Coast		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	323 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	319 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	317 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	313 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	311 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	307 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	305 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	1698 Bolsa Ave	McGaugh	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	No Bolsa	Navy Housing	Non-Lead - Other	No	No	Unknown	6"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Other	Unknown	6"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	Oil rigs/Bolsa	Hellman Properties Oil Derrick	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Other	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	No Bolsa	Navy Housing	Non-Lead - Other	No	No	Unknown	6"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-Lead - Other	Unknown	6"	Field inspection	Yes	Visual inspection at the meter pit	7/5/2023		Non-lead
	302 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	306 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	308 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	312 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	314 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	318 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	322 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	324 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1400 Pacfic Coast	Mahe	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	327 15th St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	323 15th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	325 15th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	321 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	317 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	315 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	311 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	309 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	305 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	301 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1460 Landing Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1501 Landing Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	302 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	306 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	308 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	312 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	316 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	318 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	322 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	324 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	328 15th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1510 Pacfic Coast		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1500 Pacfic Coast		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	331 16th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	325 16th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	323 16th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	321 16th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead

	319 16th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	315 16th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	313 16th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	311 16th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	309 16th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	307 16th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	305 16th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	303 16th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	301 16th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	302 16th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	306 16th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	310 16th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	312 16th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	314 16th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	316 16th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	320 16th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	322 16th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	326 16th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	328 16th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1600 Pacific Coast		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1650 Pacific Coast		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	327 17th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	325 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	321 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	319 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	315 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	313 17th St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	309 17th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	305 17th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	303 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	301 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1702 Landing Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	306 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	308 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	312 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	314 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	318 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	320 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	322 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	324 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	326 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	328 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1700 Pacific Coast		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1780 Pacific Coast	Bay Liquor	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	325 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	323 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	321 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	319 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	317 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	315 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	313 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	311 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	309 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	307 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	303 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	259 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	257 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	239 Seal Beach Blvd	Daniel A. Herman Chiropractor	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	237 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	235 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	233 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	231 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	229 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	202 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	227 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	225 Seal Beach Blvd		Non-Lead - Copper	no	no	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	223 Seal Beach Blvd	Marley's Preschool	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	219 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	217 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	215 Seal Beach Blvd	Growing Tree Child Development Center	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	213 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	211 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead

	209 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1715 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1713 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1711 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1709 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1707 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1705 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1703 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1701 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	212 17th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	214 17th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	216 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	218 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	220 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	222 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	224 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	226 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	244 17th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	246 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	248 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	250 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	252 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	254 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	256 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	258 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	260 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	255 17th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	253 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	251 17th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	249 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	247 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	245 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	243 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	241 17th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	238 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	237 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	236 17th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	234 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	235 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	232 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	231 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	229 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	227 17th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	225 17th St		Non-Lead - Copper	no	no	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	215 17th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	213 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	211 17th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	209 17th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1615 Electric Ave		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1611 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1609 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1607 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1605 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	202 16th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	218 16th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	220 16th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	222 16th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	224 16th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	226 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	228 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	232 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	234 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	238 16th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	240 16th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	244 16th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	246 16th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	250 16th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	252 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	254 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	249 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	247 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	243 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead

	239 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	237 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	235 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	233 16th st		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	231 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	227 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	225 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	221 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	219 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	215 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	213 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	211 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	209 16th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1507 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	200 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	212 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	214 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	216 15th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	220 15th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	224 15th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	226 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	230 15th st		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	232 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	236 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	238 15th St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	242 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	244 15th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	248 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	243 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	239 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	237 15th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	235 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	233 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	231 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	227 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	225 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	221 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	217 15th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	213 15th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	211 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	209 15th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1417 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1413 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1411 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1409 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1407 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1405 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1403 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	1401 Electric Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	212 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	214 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	218 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	222 14th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	224 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	228 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	230 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	234 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	236 14th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	238 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	240 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	242 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	237 14th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	233 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	231 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	229 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	225 14th st		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	221 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	219 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	215 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	213 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	211 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead
	209 14th st		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/8/2023		Non-lead

	100 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	102 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	104 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	106 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	110 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	112 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	114 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	202 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	204 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	206 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	208 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	240 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	250 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	300 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	304 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	308 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	336 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	340 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	344 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	350 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	400 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	402 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	404 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	408 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	410 Ocean avle		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	430 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	450 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	500 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	510 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	516 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	520 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	540 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	546 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	550 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	600 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	604 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	606 Ocean Ave		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	608 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	610 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	612 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	618 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	620 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	700 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	704 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	706 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1000 Ooran ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1002 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1004 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1006 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1008 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1012 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1016 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1100 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1102 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1104 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1106 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1108 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1110 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1112 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1114 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1116 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1200 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1202 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1204 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1206 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1208 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1210 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1212 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1216 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1300 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1302 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead

	1306 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1308 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1310 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1312 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1316 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1318 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1320 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	90 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1404 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1422 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1424 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1430 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1502 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1504 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1506 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1508 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1510 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1514 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1516 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1518 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1520 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1522 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	7 9 11 Neptune		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1600 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1602 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1604 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1606 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1608 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1614 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1616 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1618 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1620 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1624 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1626 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1628 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1630 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1632 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1639 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1635 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1633 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1631 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1629 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1627 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1625 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1623 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1621 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1619 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1617 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1615 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1613 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1611 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1609 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1607 Seal Way		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1605 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1603 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1601 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1531 Seal Way		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1527 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1525 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1523 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1521 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1519 Seal Way		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1517 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1515 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1513 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1507 Seal Way		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1501 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1499 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1495 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1421 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1407 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1405 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead

	1403 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1401 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1319 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1315 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1313 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1311 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1309 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1307 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1305 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1303 Seal Way		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1301 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1217 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1215 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1213 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1211 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1207 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1205 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1203 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1201 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1117 C Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1117 A Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1117 B Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1115 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1113 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1111 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1109 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1107 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1105 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1103 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1101 Seal Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1017 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/10/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/10/2023		Non-lead
	1015 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/11/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/11/2023		Non-lead
	1013 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/12/2023		Non-lead
	1011 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2023		Non-lead
	1009 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1007 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1005 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1003 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1001 Seal Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1425 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1423 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1413 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1409 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1407 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1405 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1403 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1401 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	112 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	114 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	116 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	120 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	122 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	124 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	126 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	128 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	130 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	132 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	134 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	136 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	138 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	140 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	142 14th St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	144 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	146 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	148 14th St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	141 Dolphin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	137 Dolphin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	135 Dolphin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	133 Dolphin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	129 Dolphin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	127 Dolphin Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	125 Dolphin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead

	123 Dolphin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	121 Dolphin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	117 Dolphin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	115 Dolphin Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	113 Dolphin Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	111 Dolphin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	109 Dolphin Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	120 E Dolphin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-lead
	126 E Dolphin Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-lead
	128 E Dolphin Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-lead
	130 E Dolphin Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-lead
	132 E Dolphin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-lead
	134 E Dolphin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-lead
	138 E Dolphin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-lead
	1501 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1503 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1505 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1511 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1513 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1515 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1517 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1603 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1605 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1607 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1611 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1615 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1629 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1613 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1633 Ocean Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1635 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1637 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1639 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1641 Ocean Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1523 Marine Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1530 Marine Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1528 Marine Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1524 Marine Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1522 Marine Avev		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1520 Marine Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1518 Marine Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1516 Marine Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/9/2023		Non-lead
	1200 Catalina Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1210 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1220 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1230 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	733 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	729 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	725 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	721 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	717 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	713 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	709 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	705 Shoutshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	701 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	645 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	641 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	637 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	633 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	629 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	625 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	621 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	617 Southshore Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	609 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	605 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	601 Southshore DR		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	600 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	604 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	608 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	612 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	616 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	620 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead

	624 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	628 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	632 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	636 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	640 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	644 Southshore Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	700 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	704 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	708 Southshore Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	713 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	709 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	705 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	701 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	645 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	641 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	637 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	633 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	629 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	625 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	621 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	617 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	613 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	609 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	605 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	601 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	600 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	604 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	608 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	612 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	616 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	620 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	624 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	628 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	632 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	636 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	640 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	644 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	700 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	704 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	708 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	712 Taper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	713 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	709 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	705 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	701 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	645 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	641 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	637 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	633 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	629 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	625 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	621 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	617 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	613 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	609 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	605 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	601 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	600 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	604 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	608 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	612 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	616 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	620 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	624 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	628 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	632 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	636 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	640 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	644 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	700 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	704 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	708 SandPiper Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead

	712 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	716 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	720 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1405 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1401 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1305 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1301 Sandpiper Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1300 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1310 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1400 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1410 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1420 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1430 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1440 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1500 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1510 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1520 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1530 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1511 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1509 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1505 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1501 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	721 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	717 BeachComber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	713 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	709 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	705 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	701 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	645 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	641 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	637 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	633 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	629 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	625 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	621 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-lead
	617 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	613 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	609 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	605 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	601 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	600 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	604 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	608 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	612 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	616 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	620 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	624 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	628 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	632 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	636 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	640 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	644 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	700 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	704 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	708 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	712 Beachcomber Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	713 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	709 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	705 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	701 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	645 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	641 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	637 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	633 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	629 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	625 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	621 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	617 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	613 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	609 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	605 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	601 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead

	600 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	604 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	608 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	612 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	616 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	620 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	624 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	628 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	632 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	636 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	640 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	644 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	700 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	704 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	708 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	712 Seabreeze Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1535 Catalina Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1525 Catalina Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1515 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1509 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1501 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1445 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1435 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1425 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1405 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1325 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1315 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1305 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1235 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1225 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1215 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1205 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1201 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	713 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	709 Island View Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	705 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	701 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	645 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	641 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	637 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	633 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	629 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	625 Island View Dr		Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	621 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	617 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	613 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	609 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	605 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	601 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	600 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	604 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	608 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	612 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	616 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	620 Island View Dr		Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	624 Island View Dr		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	628 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	632 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	636 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	640 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	644 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	700 Island View Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	704 Island View Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	708 Island View Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	712 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	716 Island View Dr		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	720 Island View Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1611 Island View Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1609 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1605 Island View Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1601 Island View Dr		Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead

	1600 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1610 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1620 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1630 Catacilna Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1640 Catalina Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1650 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1660 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	725 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	721 Bayside Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	717 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	713 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	709 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	705 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	701 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	645 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	641 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	637 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	633 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	629 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	625 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	621 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	617 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	613 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	609 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	605 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	601 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	600 Bayside Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1705 Balsa Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1709 Balsa Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	628 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	632 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	636 Bayside Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1700 Coral Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1704 Coral Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1708 Coral Pl		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1712 Coral Pl		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1716 Coral Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1713 Coral Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1709 Coral Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1705 Coral Pl		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1701 Coral Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1700 Bayou Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1704 Bayou Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1708 Bayou Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1712 Bayou Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1716 Bayou Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1720 Bayou Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1741 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1733 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1729 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1725 Harbor Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1721 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1717 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1713 Harbor Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1709 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1705 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1701 Harbor Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1700 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1704 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1708 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1712 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1716 Harbor Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1720 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1724 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1728 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1732 Harbor Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1736 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1740 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1744 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1748 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1752 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1756 Harbor Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead

	1737 Bayou Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1733 Bayou Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1729 Bayou Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1725 Bayou Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1721 Bayou Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1717 Bayou Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1713 Bayou Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1709 Bayou Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1705 Bayou Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1701 Bayou Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1700 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1704 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1708 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1712 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1716 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1720 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1724 Catalina Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1728 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1732 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1736 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1740 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1744 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1748 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1771 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1737 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1733 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1729 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1725 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1721 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1717 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1713 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1709 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1705 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1701 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1700 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1704 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1708 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1712 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1716 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1720 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1724 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1728 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1732 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1736 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1740 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1777 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1775 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1772 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1776 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1780 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1784 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1757 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1753 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1749 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1745 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1741 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1737 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1733 Crestview ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1729 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1725 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1721 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1717 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1713 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1709 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1705 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1701 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1685 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1675 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1665 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1655 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1645 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1635 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead

	1625 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1615 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1605 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1545 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1535 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1525 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1515 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1505 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1445 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1435 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1425 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1415 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1405 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1400 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1410 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1420 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1430 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1440 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1500 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1520 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1530 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1540 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1600 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1610 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1620 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1630 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1650 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1660 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1670 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1665 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1655 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1645 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1635 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1625 Catalina Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1615 Catalina Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Plastic	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1605 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1601 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/12/2023		Non-lead
	1640 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1630 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1620 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1610 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1600 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	428 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	424 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	420 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	416 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	412 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	408 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	404 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	400 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	401 Emerald Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	405 Emerald Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	409 Emerald Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	413 Emerald Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	417 Emerald Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	416 Emerald Pl		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	412 Emerald Pl		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	408 Emerald Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	404 Emerald Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	400 Emerald Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	401 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	405 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	409 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	413 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	417 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	421 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	425 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	429 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	432 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	428 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	432 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead

	428 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	424 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	420 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	416 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	412 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	408 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	404 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	402 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	400 Beryl Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1730 Emerald Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1720 Emerald Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1710 Emerald Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1700 Emerald Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1630 Emerald Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1620 Emerald Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1610 Emerald Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1600 Emerald Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1530 Emerald Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1520 Emerald Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1510 Emerald Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1500 Emerald Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	401 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	405 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	409 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	413 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	417 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	421 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	425 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	429 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	433 Jade Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	432 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	428 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	424 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	420 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	416 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	412 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	408 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	404 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	400 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1420 Crystal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1410 Crystal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1400 Crystal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1340 Crystal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1330 Crystal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1320 Crystal Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1310 Crystal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1300 Crystal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1230 Crystal Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1220 Crystal Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1200 Crystal Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	401 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1210 Crystal Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	403 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	405 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	409 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	413 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	417 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	419 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	421 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1220 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1210 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1200 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1201 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1211 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1221 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1231 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1241 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1251 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	501 Agua Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	505 Agua Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	509 Agua Pl		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	516 Agua Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead

	512 Agua Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	508 Agua Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	504 Agua Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	500 Agua Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	501 Laguna Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	505 Laguna Pl		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	509 Laguna Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	513 Laguna Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	517 Laguna Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	521 Laguna Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	528 Laguna Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	524 Laguna Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	520 Laguna Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	516 Laguna Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	512 Laguna Pl		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	508 Laguna Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	504 Laguna Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	500 Laguna Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	501 Riviera Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	505 Riviera Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	509 Riviera Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	513 Riviera Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	517 Riviera Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	521 Riviera Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	523 Riviera Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	527 Riviera Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	531 Riviera Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	425 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	421 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	419 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	417 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	413 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	409 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	405 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	401 Opal Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	400 Crystal Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	404 Crystal Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	408 Crystal Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	412 Crystal Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	416 Crystal Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	417 Crystal Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	413 Crystal Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	409 Crystal Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	405 Crystal Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	401 Crystal Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	400 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	404 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	408 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	412 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	416 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	420 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	424 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	428 Marble Cove Way		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1300 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1310 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1320 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1330 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1340 Marlin Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	921 Pacific Coast Hwy	CVS Pharmacy	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	981 Pacific Coast Hwy	Dave's Cosmic Subs	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1058 Balsa Ave	Strip Mall	Non-Lead - Other	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Other	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1101 Pacific Coast Hwy	Pavilions	Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	1103 Pacific Coast Hwy	Pearle Vision	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/18/2023		Non-lead
	13900 Seal Beach Blvd	Chase Bank	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13900 Seal Beach Blvd #RR		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13820 Seal Beach Blvd	Faith Christian Assembly	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13902 Seal Beach Blvd	Carl's Jr.	Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2900 Westminster Blvd	Del Taco	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2908 Westminster Blvd	Hear USA	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2904 Westminster Blvd	State Farm	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2910 Westminster Blvd	Sanctuary Salon	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead

	2914 Westminster Blvd	Beach Plaza Dental	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2918 Westminster Blvd IRR		Non-Lead - Plastic	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2920 Westminster Blvd	Anytime Fitness	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2926 Westminster Blvd	Anytime Fitness	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2928 Westminster Blvd	Quest Diagnostics	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2934 Westminster Blvd #103	Domino's Pizza	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2940 Westminster Blvd	Sunny Side Café	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-lead
	2950 Westminster Blvd	ExtraMile	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2800 Seal Beach Blvd IRR		Non-Lead - Plastic	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	Edison Park		Non-Lead - Plastic	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13090 Old Bolsa Chica Rd	Bolsa Chica Self Storage	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	1701 Adolfo Lopez Dr	Heilman Properties	Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	1778 Adolfo Lopez Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	PCH Surfside Colony IRR		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	Sunset Aquatic Park-A		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	Sunset Aquatic Park-B		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	Sunset Aquatic Park-C		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	Sunset Aquatic Park-D		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	Sunset Aquatic Park-E		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2901 Edinger Ave	Sundet Aquatic Shipyard	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	Violet/Almond Wall		Non-Lead - Copper	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	4665 Lampson Ave	West Ed	Non-Lead - Plastic	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	3010 Old Ranch Pkwy IRR-A		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	3001 Old Ranch Pkwy	Kobe Steakhouse	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	3005 Old Ranch Pkwy	Spaghettini	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	3010 Old Ranch Pkwy-A	The Ranch Building A	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	3020 Old Ranch Pkwy		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	3010 Old Ranch Pkwy IRR-B		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	3010 Old Ranch Pkwy-B	The Ranch Building B	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	3010 Old Ranch Pkwy IRR-C		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	3010 Old Ranch Pkwy-C	The Ranch Building C	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	3131 N Gate Road	Fire Station 48	Non-Lead - Plastic	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2400 N Gate Road	Frontier Communications	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2450 N Gate Road	LW First Christian Church	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13001 Seal Beach Blvd	Seal Beach Professional Building	Non-Lead - Plastic	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13979 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13980 Seal Beach Blvd	76	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2929 Westminster Blvd		Non-Lead - Plastic	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	2999 Westminster Blvd	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13970 Seal Beach Blvd	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13960 Seal Beach Blvd	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13962 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13956 Seal Beach Blvd	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13952 Seal Beach Blvd	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13944 Seal Beach Blvd	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13936 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13932 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13930 Seal Beach Blvd	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13924 Seal Beach Blvd-D	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13924 Seal Beach Blvd-C	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13926 Seal Beach Blvd	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13928 Seal Beach Blvd	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13918 Seal Beach Blvd	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13920 Seal Beach Blvd	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13922 Seal Beach Blvd-A	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13922 Seal Beach Blvd-B	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13922 Seal Beach Blvd-C	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	14000 Church Pl	Leisure World Community Church	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13900 Church Pl	Holy Family Church	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13916 Seal Beach Blvd	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	1910 St. Andrews Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	1900 A St. Andrews Dr	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	11900 C St. Andrews Dr	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	1900 St. Andrews Dr IRR		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	1920 St. Andrews Dr	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	1930 St. Andrews Dr	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13908 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13904 Seal Beach Blvd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13912 Seal Beach Blvd	Seal Beach Village	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	13910 Seal Beach Blvd IRR		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	10/20/2023		Non-lead
	430 Coastline Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead

	420 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	410 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	400 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	340 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	330 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	320 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	310 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	300 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	230 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	220 Coastline Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	210 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	200 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	150 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	140 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	130 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	120 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	110 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	100 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	105 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	115 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	125 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	135 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	145 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	705 Carmel Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	715 Carmel Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	725 Carmel Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Plastic	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	735 Carmel Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	745 Carmel Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	755 Carmel Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	120 Surf Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	110 Surf Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	100 Surf Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	105 Surf Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	115 Surf Pl		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Plastic	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	125 Surf Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/24/2023		Non-lead
	135 Surf Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/26/2023		Non-lead
	145 Surf Pl		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/26/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/26/2023		Non-lead
	205 Surf Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/26/2023		Non-lead
	215 Surf Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/26/2023		Non-lead
	225 Surf Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/26/2023		Non-lead
	235 Surf Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/26/2023		Non-lead
	245 Surf Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/26/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/26/2023		Non-lead
	835 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	901 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	905 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	915 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	925 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	935 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	945 Catalina Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	955 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	965 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1001 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1005 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1015 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1025 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	801 Avalon Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Galvanized	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	805 Avalon Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	809 Avalon Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	811 Avalon Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1005 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1015 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1025 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1035 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1105 Crestview Ave		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1115 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1125 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1135 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1205 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1215 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1225 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1235 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1245 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead

	1305 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1315 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1325 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1335 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1320 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1310 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1300 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1240 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1230 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1220 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1210 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1200 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1130 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1120 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1110 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1100 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1030 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1020 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1010 Crestview Ave		Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1000 Crestview Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1035 Catalina Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1045 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1055 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1101 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1105 Catalina Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1115 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1125 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1135 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1145 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1140 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1130 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	720 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	716 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	712 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	708 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	704 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	700 Balboa Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	644 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	640 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	636 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	632 Balboa Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	628 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	624 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	620 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	616 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	612 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	608 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	604 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	600 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1140 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1130 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1120 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1110 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1100 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1040 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1030 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1020 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1010 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	1000 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	940 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	930 Coastline Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	920 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	910 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	900 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	850 Coastline Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	840 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	830 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	820 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	810 Coastline Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	800 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	750 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	740 Coastline Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead

	730 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	720 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	710 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	700 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	630 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	620 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	610 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	600 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	530 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	520 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	510 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	500 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	700 Carmel Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	710 Carmel Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	720 Carmel Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	730 Carmel Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	740 Carmel Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	750 Carmel Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	200 Surf Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	210 Surf Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	825 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	815 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	805 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	801 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	735 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	725 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	715 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	705 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	701 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/1/2023		Non-lead
	700 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	710 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	720 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	730 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	740 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	750 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	800 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	810 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	820 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	830 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	840 Catalina Ave		Non-Lead - Plastic	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	850 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	860 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	870 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	900 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	910 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	920 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	930 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	940 Catalina Ave		Non-Lead - Plastic	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	950 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	960 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1000 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1010 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1020 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1030 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1040 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1050 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1060 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1070 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1055 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1045 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1035 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1025 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1015 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1005 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1001 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	945 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	935 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	925 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	915 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	905 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	901 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead

	865 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	855 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	845 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	835 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	825 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	815 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	805 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	801 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	745 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	735 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	725 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	715 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	705 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	701 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	700 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	710 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	720 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	730 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	740 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	750 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	800 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	810 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	820 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	830 Marvista Ave		Non-Lead - Plastic	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	840 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	850 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	860 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	900 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	910 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	920 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	930 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	940 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	950 Marvista Ave		Non-Lead - Plastic	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1000 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1010 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1020 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1030 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1040 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1050 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1060 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1100 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1110 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1120 Marvista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	725 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	715 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	705 Balboa Dr		Non-Lead - Plastic	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	701 Balboa Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1135 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1125 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1115 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1105 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1101 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1045 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1035 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1025 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1015 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1005 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1001 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	945 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	935 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	925 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	915 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	905 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	901 Driftwood Ave		Non-Lead - Plastic	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	845 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	835 Driftwood Ave		Non-Lead - Plastic	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	825 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	815 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	805 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	801 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	745 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	735 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead

	725 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	715 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	705 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	701 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	700 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	710 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	720 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	730 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	740 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	800 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	810 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	820 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	830 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	840 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	900 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	910 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	920 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	940 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1000 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1010 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1020 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1030 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1040 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1050 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1060 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1100 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1110 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1120 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1130 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1140 Driftwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1135 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1125 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1115 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1105 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1035 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1025 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1015 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1005 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1001 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	935 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	925 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	915 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	909 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	905 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	901 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	635 Silver Shoals Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	625 Silver Shoals Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	615 Silver Shoals Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	605 Silver Shoals Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	835 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	608 Silver Shoals Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	612 Silver Shoals Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	616 Silver Shoals Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	900 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	910 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	920 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	930 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1000 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1010 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1020 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1030 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1100 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1110 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1120 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1130 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1140 Fathom Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1145 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1135 Coastline Dr		Non-Lead - Plastic	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1125 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1115 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1105 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1035 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead

	1025 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1015 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1005 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	935 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	925 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	915 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	905 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	825 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	815 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	805 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	612 Ebbtide Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	616 Ebbtide Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	619 Ebbtide Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	615 Ebbtide Pl		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	715 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	705 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	701 Coastline Dr		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1130 Mar Vista Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1100 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1110 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	1120 Catalina Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	100 Loyola Plz		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	104 Loyola Plz		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	108 Loyola Plz		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	112 Loyola Plz		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	116 Loyola Plz		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	109 Loyola Plz		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	105 Loyola Plz		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	101 Loyola Plz		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	101 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	105 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	109 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	113 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	117 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	121 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	125 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	129 Harvard Ln		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	133 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	137 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	141 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	145 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	149 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	153 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	157 Harvard Ln		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	161 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	165 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	169 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	173 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	177 Harvard Ln		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	181 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	185 Harvard Ln		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	189 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	193 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	197 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	201 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	205 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	209 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	213 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	217 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	221 Harvard Ln		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	225 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	229 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	233 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	237 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	241 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	245 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	249 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	253 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	257 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	261 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	265 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead

	269 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	273 Harvard Ln		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	277 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	281 Harvard Ln		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	285 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	289 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	293 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	297 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	301 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	305 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	309 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	313 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	317 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	321 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	325 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	329 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	333 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	337 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	312 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	308 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	304 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	300 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	101 Dartmouth Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	105 Dartmouth Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	109 Dartmouth Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	108 Dartmouth Cir		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	104 Dartmouth Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	100 Dartmouth Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	312 College Park Dr		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	308 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	304 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	300 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	296 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	292 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	288 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	284 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	280 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	276 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	272 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	268 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	264 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	260 College Park Dr		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	256 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	252 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	248 College Park Dr		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	244 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	240 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	236 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	232 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	228 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	224 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	220 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	216 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	212 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	208 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	204 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	200 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	196 College Park Dr		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	192 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	188 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	184 College Park Dr		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	180 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	176 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	172 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	168 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	164 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	160 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	156 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	152 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	148 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	144 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	140 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead

	136 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	401 Purdue Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	405 Purdue Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	409 Purdue Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	412 Purdue Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	408 Purdue Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	404 Purdue Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	400 Purdue Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	120 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	116 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	112 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	10/31/2023		Non-lead
	104 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	108 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	112 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	116 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	124 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	128 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	132 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	136 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	140 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	144 Harvard Ln		Galvanized	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	148 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	152 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	156 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	160 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	164 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	168 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	180 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	184 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	188 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	192 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	196 Harvard Ln		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	200 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	208 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	212 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	216 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	220 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	224 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	228 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	232 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	236 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	240 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	100 Princeton Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	104 Princeton Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	108 Princeton Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	112 Princeton Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	109 Princeton Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	105 Princeton Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	101 Princeton Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	313 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	309 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	301 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	287 College Park Dr		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	283 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	279 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	233 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	229 Stanford Ln		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	225 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	221 Stanford Ln		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	217 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	213 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	209 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	205 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	201 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	197 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	193 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	189 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	185 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	181 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	177 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	173 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead

	169 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	165 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	161 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	157 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	153 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	149 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	145 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	141 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	137 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	133 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	129 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	125 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	121 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	117 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	113 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	109 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	105 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	129 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	104 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	108 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	112 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	116 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	124 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	128 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	132 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	136 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	140 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	144 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	148 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	152 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	160 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	164 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	168 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	172 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	176 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	184 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	188 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	192 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	196 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	200 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	204 Stanford Ln		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	208 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	216 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	224 Stanford Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	265 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	261 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	257 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	253 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	247 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	193 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	189 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	185 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	181 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	177 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	173 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	169 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	165 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	161 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	157 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	155 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	149 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	145 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	141 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	137 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	133 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	129 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	125 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	121 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	117 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	113 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	109 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	105 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead

	101 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	108 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	120 Yale Ln		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	124 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	128 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	132 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	136 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	140 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	300 Yale Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	304 Yale Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	308 Yale Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	309 Yale Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	305 Yale Cir		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	164 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	168 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	172 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	176 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	180 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	192 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	196 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	229 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	225 College Park Dr		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	221 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	217 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	213 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	209 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	205 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	201 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	197 College Park Dr		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	189 College Park Dr		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	185 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	181 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	177 College Park Dr		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	173 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	100 Yale Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	149 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	145 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	141 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	125 College Park Dr		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	100 Harvard Ln		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	11 College Park Dr	King's Growers	Non-Lead - Plastic	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	Na	Nursery off College Parl Drive	Non-Lead - Plastic	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	11/8/2023		Non-lead
	3901 Lampson Ave	Old Ranch Country Club	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3901 Lampson Ave #1	Old Ranch Country Club	Non-Lead	No	No	Unknown	6"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		Non-Lead	Unknown	6"	Field inspection	Yes	Visual inspection at the meter pit	8/13/2024		#N/A
	3901 Lampson Ave RGE (Irr)	Old Ranch Country Club	Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4000 Lampson Ave	Chevron	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4889 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4881 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4873 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4865 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4857 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4849 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4841 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4833 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4825 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4817 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4809 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4801 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4789 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4781 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4773 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4765 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4757 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4749 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4741 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3951 Sunflower St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3941 Sunflower St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3931 Sunflower St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3921 Sunflower St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3911 Sunflower St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3901 Sunflower St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead

	3881 Sunflower St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3871 Sunflower St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3861 Sunflower St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3851 Sunflower St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3841 Sunflower St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4741 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4733 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3830 Rose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3840 Rose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3850 Rose St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3860 Rose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3870 Rose St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3880 Rose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3900 Rose St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3910 Rose St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3920 Rose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3930 Rose St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3940 Rose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3950 Rose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3960 Rose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4701 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3931 Rose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3921 Rose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3911 Rose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3881 Rose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3871 Rose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3861 Rose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3851 Rose St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3841 Rose St		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4701 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4708 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4716 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4724 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4732 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4740 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4748 Fir Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4756 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4764 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4772 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4780 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4788 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4800 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4808 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4816 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4824 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4832 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4840 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4848 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4856 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4864 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4872 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4880 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3820 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3830 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3840 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3850 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3860 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3870 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3880 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3900 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3910 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3920 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3930 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3940 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3950 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4949 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4941 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4933 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4925 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4917 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4909 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4908 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead

	4900 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4888 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4880 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4872 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4864 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4856 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4848 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4840 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4832 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4824 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4816 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4808 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4800 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4788 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4780 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4772 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4764 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3930 Sunflower St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3920 Sunflower St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3900 Sunflower St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4765 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4773 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4781 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4789 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4801 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4809 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4817 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4825 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4833 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4841 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4849 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4857 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4865 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4873 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4881 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4889 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4901 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4909 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4917 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4916 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4908 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4900 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4888 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4880 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4872 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4864 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4856 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4848 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4840 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4832 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4824 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4816 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4808 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4800 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4788 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4780 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4772 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4764 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4756 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3850 Sunflower St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3840 Sunflower St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3830 Sunflower St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3831 Fir Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3841 Fir Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3851 Fir Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3850 Fir Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3840 Fir Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3830 Fir Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4817 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4825 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4833 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4841 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead

	4849 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4857 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4865 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4873 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4881 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4889 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4897 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4901 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4909 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3831 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3841 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3861 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3881 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3901 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3911 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	3931 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4924 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4916 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/14/2023		Non-lead
	4509 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4517 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4525 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4533 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4541 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4549 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4557 Ironwood Ave		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4565 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4573 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4565 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4573 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4581 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4589 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4601 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4609 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4617 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4625 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4633 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4641 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4649 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4657 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4665 Ironwood Ave		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4673 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4681 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4689 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4697 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4688 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4680 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4672 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4664 Ironwood Ave		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4656 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4648 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4640 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4632 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4624 Ironwood Ave		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4616 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4608 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4600 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4588 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4580 Ironwood Ave		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4572 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4564 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4556 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4548 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4540 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4532 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4524 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4516 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4525 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4533 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4541 Hazelnut Ave		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4549 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4557 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead

	4565 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4573 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4581 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4589 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4597 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4601 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4609 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4617 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4625 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4633 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4641 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4649 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4657 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4665 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4673 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4681 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4689 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4688 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4680 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4672 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4664 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4656 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4648 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4640 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4632 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4624 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4616 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4608 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4600 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4596 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4588 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4580 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4572 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4564 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4556 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4548 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4540 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4532 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4524 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4516 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4508 Hazelnut Ave		Galvanized	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4500 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4488 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4480 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4481 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4489 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4501 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4509 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4517 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4525 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4533 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4541 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4549 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4557 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4565 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4573 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4581 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4589 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4597 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4601 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4609 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4617 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4625 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4633 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4641 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4649 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4657 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4665 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4673 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	3850 Pansy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	3840 Pansy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	3830 Pansy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead

	3820 Pansy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4664 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4656 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4648 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4640 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4632 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4624 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4616 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4608 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4600 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4596 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4588 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4580 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4572 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4564 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4556 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4548 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4540 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4532 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4524 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4516 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4508 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4500 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/1933		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/1933		Non-lead
	4488 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4480 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4481 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4489 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4501 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4509 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4517 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4525 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4533 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4541 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4549 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4557 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4565 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4573 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4581 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4589 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4597 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4601 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4609 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4617 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4625 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4633 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4641 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4649 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4657 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4665 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4689 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4700 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4688 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4680 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4672 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4664 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4656 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4648 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4624 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4616 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4608 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4600 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4596 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4588 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4580 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4572 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4564 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4556 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4548 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4540 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4532 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4524 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4516 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead

	4508 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4500 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4488 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4480 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	3771 Heather St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	3781 Heather St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	3791 Heather St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	3801 Heather St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	3811 Heather St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	3821 Heather St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	3831 Heather St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	3841 Heather St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	3851 Heather St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	3861 Heather St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	11/21/2023		Non-lead
	4873 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4865 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4857 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4849 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4841 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4833 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4825 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4817 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4809 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4801 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4797 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4789 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4781 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4773 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4765 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4757 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4749 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4741 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4733 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4717 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4709 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4701 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4681 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4673 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3741 Primrose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3731 Primrose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3721 Primrose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3711 Primrose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4673 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4657 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4649 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4648 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4656 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4664 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4672 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4680 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4688 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4700 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4708 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4716 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4724 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4732 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4740 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4748 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4756 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4764 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4772 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4780 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4788 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4800 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4808 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4816 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4824 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4832 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4840 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4848 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4856 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead

	4864 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4872 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4880 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4888 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3711 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3701 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3681 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4881 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4873 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4865 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4857 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4849 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4841 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4833 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4825 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4817 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4809 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4801 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4797 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4789 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4781 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4773 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4765 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4757 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4749 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4741 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4733 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4725 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4717 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4709 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4701 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4689 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4681 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4673 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4665 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4657 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4649 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3630 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4664 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4672 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4680 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4688 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4700 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4708 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4716 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4724 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4732 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4740 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4748 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4756 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4764 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4772 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4780 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4788 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4796 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4800 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4808 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4816 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4824 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4832 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4840 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4848 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4864 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4872 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4880 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3661 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3651 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3641 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3631 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3621 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3611 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3601 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead

	3591 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3581 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3571 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3561 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3560 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3570 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3580 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3590 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3600 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3610 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3620 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3630 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3640 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3650 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3660 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3670 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3680 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3690 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3710 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3720 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3730 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3740 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3750 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3760 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3770 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3780 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3790 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3800 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3810 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3811 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3801 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3791 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3781 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3771 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3761 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3751 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3731 Wisteria St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4889 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4881 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4873 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4865 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4857 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4849 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4841 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4833 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4825 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4817 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4809 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4801 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4797 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4789 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4781 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4773 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4765 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4757 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4749 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4741 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4733 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4725 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4717 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4709 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3700 Primrose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3710 Primrose St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4680 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4700 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4708 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4716 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4724 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4732 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4740 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4748 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4756 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead

	4764 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4772 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4780 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4788 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4800 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4808 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4816 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4824 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4832 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4840 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4848 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4856 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4864 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4872 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4880 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4888 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3780 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3790 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3800 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3810 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	3820 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/6/2023		Non-lead
	4221 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4225 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4233 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4241 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4249 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4253 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4257 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4265 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4273 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4281 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4289 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4297 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4301 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4309 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4313 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4317 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4325 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4333 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4341 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4349 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4357 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4365 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4373 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4381 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4389 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4397 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4401 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4409 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4417 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4425 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4433 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4441 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4449 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4457 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4465 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4464 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4456 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4448 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4440 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4432 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4424 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4416 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4408 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4400 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4396 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4388 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4380 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4372 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4364 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4356 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead

	4348 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4340 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4332 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4324 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4316 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4312 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4308 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4300 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4288 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4280 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4273 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4281 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4289 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4297 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4301 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4309 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4313 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4317 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4325 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4333 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4341 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4349 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4357 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4365 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4373 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4381 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4389 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4397 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4401 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4409 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4417 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4425 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4433 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4441 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4449 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4457 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4465 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4464 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4456 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4448 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4440 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4432 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4424 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4416 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4408 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4400 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4396 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4388 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4380 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4372 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4364 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4356 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4348 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4340 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4332 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4324 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4316 Hazelnut Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4309 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4317 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4333 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4341 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4349 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4348 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4340 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4332 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4324 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4316 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4308 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4300 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4296 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4288 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4280 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead

	4272 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4264 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4256 Guava Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4233 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4241 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4249 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4257 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4265 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4273 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4281 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4289 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4297 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4301 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4309 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4317 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4325 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4333 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4341 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3801 Daisy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3811 Daisy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3821 Daisy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3831 Daisy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3841 Daisy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3851 Daisy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3861 Daisy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3860 Daisy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3850 Daisy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3840 Daisy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3830 Daisy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3820 Daisy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3810 Daisy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3800 Daisy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3801 Fuchsia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3811 Fuchsia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3821 Fuchsia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3831 Fuchsia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3841 Fuchsia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3851 Fuchsia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3861 Fuchsia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3860 Fuchsia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3850 Fuchsia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3840 Fuchsia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3830 Fuchsia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3820 Fuchsia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3810 Fuchsia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3800 Fuchsia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3801 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3811 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3821 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3831 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3841 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3851 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3861 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3860 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3850 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3840 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3830 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3820 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3810 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3800 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3790 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3780 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	3770 Goldenrod Street		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4432 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4424 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4416 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4408 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4400 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4388 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4380 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4372 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4364 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead

	4356 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4348 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4340 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4332 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4324 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4316 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4312 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4308 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4300 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4296 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4288 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4280 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4272 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4264 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4256 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4248 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4240 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4236 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4232 Fir Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	12/19/2023		Non-lead
	4141 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4149 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4157 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4161 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4165 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4173 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4181 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4189 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4197 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4201 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4209 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4217 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4224 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4208 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4217 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4225 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4233 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4241 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4249 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4257 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4265 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4273 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4281 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4289 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4297 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4301 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4309 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4317 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4325 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4333 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4341 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4349 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4357 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4365 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4373 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4381 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4389 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4397 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4380 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4372 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4364 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4356 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4348 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4340 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4332 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4324 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4316 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4308 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4300 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4296 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4292 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4284 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead

	4280 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4272 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4264 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4260 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4252 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4244 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4236 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4228 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4224 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4216 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4208 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4200 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4196 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4188 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4180 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4189 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4197 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4201 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4209 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4217 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4225 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4229 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4233 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4241 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4249 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4257 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4265 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4273 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4281 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4289 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4297 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4301 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4309 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4317 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4325 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4333 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4341 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4349 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4357 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4365 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	3690 Daisy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	3680 Daisy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	3670 Daisy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	3660 Daisy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	3650 Daisy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4356 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Galvanized	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4348 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4340 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4332 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4324 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4316 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4308 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4300 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4296 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4292 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4284 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4280 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4272 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4264 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4260 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4252 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4244 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4236 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4228 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4224 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4216 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4208 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4200 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4196 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4188 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4180 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4172 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead

	4164 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4156 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4148 Ironwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4149 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4157 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4165 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4173 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4181 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4189 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4197 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4201 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4209 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4217 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4225 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4233 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4241 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4249 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4257 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4265 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4257 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4265 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4273 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4281 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4289 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4297 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4301 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4309 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4317 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4325 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4333 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4341 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4349 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4357 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4396 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4388 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4380 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4372 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4364 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4356 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4348 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4340 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4332 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4324 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4316 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4308 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4300 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4301 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4309 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4317 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4325 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4333 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4341 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4349 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4357 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4396 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4388 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4380 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4372 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4364 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4356 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4348 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4340 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4332 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4324 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4316 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4308 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4300 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4296 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4288 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4280 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4272 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4264 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead

	4260 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4256 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4248 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4240 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4232 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4224 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4216 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4208 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Plastic	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4200 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4196 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4188 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4180 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4172 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4164 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	4156 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/12/2024		Non-lead
	3520 Daisy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3530 Daisy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3540 Daisy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3550 Daisy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3560 Daisy St		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3561 Daisy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3551 Daisy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3541 Daisy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3531 Daisy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3521 Daisy St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3520 Dahlia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3530 Dahlia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3540 Dahlia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3550 Dahlia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3560 Dahlia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3561 Dahlia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3551 Dahlia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3541 Dahlia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3531 Dahlia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3521 Dahlia Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3520 Daffodil Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3530 Daffodil Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3540 Daffodil Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3550 Daffodil Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3560 Daffodil Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3570 Daffodil Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3561 Daffodil Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3551 Daffodil Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3541 Daffodil Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3531 Daffodil Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3521 Daffodil Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3520 Columbine St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3530 Columbine St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3540 Columbine St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3550 Columbine St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3560 Columbine St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3570 Columbine St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4241 Banyan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4233 Banyan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4225 Banyan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4217 Banyan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4209 Banyan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4201 Banyan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4197 Banyan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4189 Banyan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4181 Banyan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4173 Banyan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4165 Banyan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4157 Banyan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4149 Banyan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3631 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3621 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3611 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3601 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3591 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3581 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead

	3571 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3561 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3551 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3541 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3531 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3521 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3520 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3530 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3540 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3550 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3560 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3580 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3590 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3600 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3610 Camelia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4172 Bayan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4180 Bayan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4188 Bayan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4196 Bayan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4200 Bayan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4208 Bayan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4216 Bayan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4224 Bayan Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3551 Columbine St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3541 Columbine St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3531 Columbine St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3521 Columbine St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3520 Clover Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3530 Clover Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3540 Clover Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3541 Clover Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3531 Clover Cir		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3521 Clover Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3520 Carnation Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3530 Carnation Cir		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3540 Carnation Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3550 Carnation Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3560 Carnation Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3570 Carnation Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3571 Carnation Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3561 Carnation Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3551 Carnation Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3541 Carnation Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3531 Carnation Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3521 Carnation Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	100 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	110 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	120 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	130 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	140 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	145 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	150 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	155 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	160 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	165 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	170 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	180 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	190 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	200 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	210 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	220 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	230 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	215 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	225 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	235 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	245 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	250 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	260 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	270 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	275 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	280 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	285 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead

	290 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	295 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	300 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	333 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	405 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	415 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	420 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	430 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	425 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	435 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	440 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	450 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	455 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	465 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	460 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	470 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	475 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	480 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	495 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	490 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	500 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	505 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	515 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	520 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	530 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	540 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	550 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	560 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	570 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	580 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	585 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	590 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	595 Old Ranch Rd		Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4125 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4133 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4141 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4149 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4157 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4165 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4173 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4181 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4189 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4197 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4201 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4209 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4217 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4225 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4233 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4241 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4249 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4257 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4265 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4273 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4281 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4289 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4297 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4301 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4309 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4317 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4325 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4333 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4341 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4349 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4357 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4365 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4373 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4381 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4389 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4401 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4409 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4417 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead

	4425 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4433 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4441 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4449 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4457 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4465 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4473 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4481 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4489 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4501 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4509 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4517 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4525 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4533 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4541 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4549 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4557 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4565 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4573 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4581 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4589 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4597 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4616 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4608 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4600 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4596 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4588 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4580 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4572 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4564 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4556 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4548 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4540 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4532 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4524 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4516 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4508 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4500 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4488 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4480 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4472 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4464 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4456 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4448 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4440 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4432 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4424 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4416 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4408 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4400 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4396 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4388 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4380 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4372 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4364 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4356 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4340 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4332 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4324 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4316 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4308 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4300 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4296 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4288 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4284 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4280 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4272 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4264 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4256 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4248 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4240 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4232 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead

	4224 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4216 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4208 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4200 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4196 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4188 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4180 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4172 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4164 Birchwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3690 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3680 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3670 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3660 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3650 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3640 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3630 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3620 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3610 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3600 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3580 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3570 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3560 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3550 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3540 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3530 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3520 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3571 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3581 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3591 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3601 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3611 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3621 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3631 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3641 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3651 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3661 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3671 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3681 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4140 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4132 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4124 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3710 Aster St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3700 Aster St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3690 Aster St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3680 Aster St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3670 Aster St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3660 Aster St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3650 Aster St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3640 Aster St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3630 Aster St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3620 Aster St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3610 Aster St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3600 Aster St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3580 Aster St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3570 Aster St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3691 Bluebell St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4401 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4409 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4417 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4425 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4433 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4441 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4449 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4457 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4481 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4489 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4501 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4509 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4517 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4525 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4533 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead

	4541 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4549 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4557 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4565 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4573 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4581 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4589 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4597 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4601 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4609 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4617 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4625 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4624 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4616 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4608 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4600 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4596 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4588 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4580 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4572 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4564 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4556 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4548 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4540 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4532 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4524 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4516 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4508 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4500 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4488 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4480 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4472 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4464 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4456 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4448 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4440 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4432 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4424 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4416 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4408 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4400 Elder Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4401 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4409 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4417 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4425 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4433 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4441 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4449 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4457 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4465 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4473 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4481 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4489 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4501 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4509 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4517 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4525 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4533 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4541 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4549 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4557 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4565 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4573 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4581 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4589 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4597 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4601 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4609 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3700 Marigold St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3690 Marigold St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3680 Marigold St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3670 Marigold St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead

	3660 Marigold St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3650 Marigold St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3640 Marigold St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3630 Marigold St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3620 Marigold St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3600 Marigold St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3621 Marigold St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3631 Marigold St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4600 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4596 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4588 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4580 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4572 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4564 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4556 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4548 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4540 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4532 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4542 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4516 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4508 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4500 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4488 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4480 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4472 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4464 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4456 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4448 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4440 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4432 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4424 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4416 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4408 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4400 Dogwood Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4401 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4409 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4417 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4425 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4433 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4441 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4449 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4457 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4465 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4481 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4489 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4501 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4509 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4517 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4525 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4533 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4541 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4549 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4557 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4565 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4573 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4581 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4589 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4597 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4601 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4588 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4580 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4572 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4564 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4556 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4548 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4540 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4532 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4524 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4516 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4508 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4500 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4488 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead

	4480 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4472 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4464 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4456 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4448 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4440 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4432 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4424 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4416 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4408 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	4400 Candleberry Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3651 Fuchsia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3661 Fuchsia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3671 Fuchsia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3681 Fuchsia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3691 Fuchsia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3701 Fuchsia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3711 Fuchsia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	3721 Fuchsia St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	472 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	476 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	480 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	484 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	488 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	492 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	500 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	504 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	508 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	512 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	516 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	520 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	524 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	530 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	513 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	505 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	495 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	491 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	487 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	483 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	479 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	475 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	471 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	467 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	463 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	459 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	455 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	451 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	434 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	444 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	448 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	452 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	456 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	460 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	464 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	468 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	472 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	476 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	480 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	484 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	440 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	432 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	424 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	416 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	408 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	400 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	392 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	384 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	369 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	377 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	385 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	393 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead

	401 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	409 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	417 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	425 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	424 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	416 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	408 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	400 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	392 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	384 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	376 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	368 Galleon Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	460 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	450 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	440 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	430 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	420 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	410 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	400 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	390 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	380 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	370 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	360 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	350 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	340 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	330 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	320 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	310 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	300 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	290 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	280 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	270 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	260 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	250 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	240 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	230 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	225 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	235 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	245 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	255 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	265 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	275 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	285 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	295 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	305 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	315 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	325 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	335 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	345 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	355 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	365 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	375 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	385 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	395 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	435 Clipper Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	400 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	390 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	380 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	370 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	360 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	350 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	340 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	330 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	320 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	310 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	300 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	290 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	280 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	270 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	260 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	250 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	240 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead

	230 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	220 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	210 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	200 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	190 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	217 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	225 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	233 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	241 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	249 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	257 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	265 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	273 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	281 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	289 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	297 Corsair Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	290 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	272 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	254 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	218 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	200 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	172 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	154 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	136 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	118 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	100 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	101 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	109 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	127 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	145 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	163 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	181 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	209 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	227 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	245 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	263 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	281 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	299 Electric Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	441 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	445 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	449 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	453 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	457 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	461 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	465 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	469 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	473 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	477 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	481 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	485 Schooner Way		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	298 Corsair Way		Non-Lead - Plastic	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	350 1st st		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	352 1st St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	354 1st St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	356 1st St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	490 Pacific Coast		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	400 5th St		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	600 Pacific Coast		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	600 Pacific Coast		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	610 Pacific Coast		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	610 Pacific Coast		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	620 Pacific Coast		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	630 Pacific Coast		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	640 Pacific Coast		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	550 Pacific Coast		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	550 Pacific Coast		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	550 Pacific Coast		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	550 Pacific Coast		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	550 Pacific Coast		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	560 Pacific Coast		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead
	500 Pacific Coast		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	1/25/2024		Non-lead

	3550 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3560 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3570 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3580 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3590 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3600 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3610 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3620 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3630 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3640 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3641 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3631 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3621 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3611 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3601 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3591 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3581 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3571 Violet St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3560 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3570 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3580 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3590 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3600 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3610 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3630 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3640 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3641 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3631 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3621 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3611 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3601 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3591 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3581 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3571 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3561 Teaberry Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3550 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3560 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3570 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3580 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3590 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3600 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3610 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3620 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3630 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3631 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3621 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3611 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3601 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3591 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3581 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3571 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3561 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3551 Sunflower Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3540 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3550 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3560 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3570 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3580 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3590 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3600 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3610 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3620 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3621 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3611 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3601 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3591 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3581 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3571 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3561 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3551 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3541 Rose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3530 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead

	3540 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3550 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3560 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3570 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3580 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3590 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3600 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3610 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3611 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3601 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3591 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3581 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3571 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3561 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3551 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3541 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3531 Primrose Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3520 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3530 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3540 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3550 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3560 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3570 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3580 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3590 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3600 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3601 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3591 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3581 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3571 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3561 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3551 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3541 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3531 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3521 Pansy Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3510 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3530 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3540 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3550 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3560 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3570 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3580 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3600 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3610 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3620 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3710 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3720 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3730 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3740 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3750 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3761 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3751 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3741 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3721 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3711 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3701 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3691 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3681 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3671 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3661 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3651 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3641 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3631 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3621 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3611 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3601 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3571 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3561 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3551 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3541 Oleander St		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	4617 Almond Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	4609 Almond Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead

	4601 Almond Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	4597 Almond Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	4589 Almond Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	4581 Almond Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	4573 Almond Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	4565 Almond Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3551 Almond Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3541 Almond Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3531 Almond Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3521 Almond Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3520 Jasmin Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3530 Jasmin Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3540 Jasmin Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3550 Jasmin Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3560 Jasmin Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3561 Jasmin Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3551 Jasmin Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3541 Jasmin Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3531 Jasmin Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3521 Jasmin Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3520 Iris Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3530 Iris Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3540 Iris Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3550 Iris Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3560 Iris Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3561 Iris Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3551 Iris Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3541 Iris Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3531 Iris Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3521 Iris Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3520 Heather Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3530 Heather Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3540 Heather Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3550 Heather Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3560 Heather Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3561 Heather Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3551 Heather Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3541 Heather Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3531 Heather Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3521 Heather Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3520 Goldenrod Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3530 Goldenrod Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3540 Goldenrod Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3550 Goldenrod Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3560 Goldenrod Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3561 Goldenrod Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3551 Goldenrod Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3541 Goldenrod Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3531 Goldenrod Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3521 Goldenrod Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3520 Fern Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3530 Fern Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3540 Fern Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3550 Fern Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3560 Fern Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3561 Fern Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3551 Fern Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3541 Fern Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3531 Fern Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	3521 Fern Cir		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/2/2024		Non-lead
	12800 Seal Beach Blvd IRR		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12800 Seal Beach Blvd IRR #2		Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12800 Seal Beach Blvd IRR #3		Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12800 Seal Beach Blvd E	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12800 Seal Beach Blvd D	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12800 Seal Beach Blvd C	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12800 Seal Beach Blvd B	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12800 Seal Beach Blvd A	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12830 Seal Beach Blvd IRR		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12830 Seal Beach Blvd B	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12830 Seal Beach Blvd A	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead

	12850 Seal Beach Blvd	Old Ranch Town Center	Non-Lead - Other	No	No	2001	6"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Other	2001	6"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3850 Lampson IRR		Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3850 Lampson Ave	Ivy Park	Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12300 Seal Beach Blvd	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12390 Seal Beach Blvd	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12400 Seal Beach Blvd	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12470 Seal Beach Blvd	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12490 Seal Beach Blvd	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12430 Seal Beach Blvd	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12420 Seal Beach Blvd	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12380 Seal Beach Blvd	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12340 Seal Beach Blvd	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12338 Seal Beach Blvd	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12320 Seal Beach Blvd	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12310 Seal Beach Blvd	Old Ranch Town Center	Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3809 Plymouth		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	Plymouth Dr Irr		Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3805 Plymouth		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3801 Plymouth		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12295 Nantucket		Non-Lead - Plastic	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12291 Nantucket		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12287 Nantucket		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12283 Nantucket		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12279 Nantucket		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12275 Nantucket		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3911 Rock Landing Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3915 Rock Landing Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3919 Rock Landing Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3923 Rock Landing Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12274 Bridgewater Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12278 Bridgewater Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12282 Bridgewater Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12286 Bridgewater Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12290 Bridgewater Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12297 Bridgewater Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12293 Bridgewater Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12289 Bridgewater Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12285 Bridgewater Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12284 Nantucket		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12288 Nantucket		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12292 Nantucket		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12296 Nantucket		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12299 Old Harbor Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12295 Old Harbor Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12291 Old Harbor Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12287 Old Harbor Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12283 Old Harbor Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12279 Old Harbor Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12275 Old Harbor Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12272 Old Harbor Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12276 Old Harbor Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12280 Old Harbor Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12284 Old Harbor Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12288 Old Harbor Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12292 Old Harbor Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12293 Lighthouse Ln		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12289 Lighthouse Ln		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12285 Lighthouse Ln		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12281 Lighthouse Ln		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12277 Lighthouse Ln		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12273 Lighthouse Ln		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3941 Catham Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3945 Catham Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3949 Catham Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3953 Catham Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3975 Catham Way		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12274 Provincetown		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12278 Provincetown		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12282 Provincetown		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12286 Provincetown		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12290 Provincetown		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12294 Provincetown		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead

	12298 Provincetown		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12302 Provincetown		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12306 Provincetown		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12310 Provincetown		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12314 Provincetown		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12318 Provincetown		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12322 Provincetown		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12280 Seal Beach Blvd Irr		Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3940 Kingsbury Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3936 Kingsbury Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	3932 Kingsbury Ct		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12309 Provincetown St		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12305 Provincetown St		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12301 Provincetown St		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12293 Provincetown St		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12289 Provincetown St		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12285 Provincetown St		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12281 Provincetown St		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12282 Lighthouse Ln		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12286 Lighthouse Ln		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12290 Lighthouse Ln		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	12294 Lighthouse Ln		Non-Lead - Copper	No	No	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	898 Heron Circle IRR		Non-Lead - Copper	No	No	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2001	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	918 Heron Circle		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	914 Heron Circle		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	903 Heron Circle		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	907 Heron Circle		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	911 Heron Circle		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	915 Heron Circle		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	919 Heron Circle		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	923 Heron Circle		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	927 Heron Circle		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	924 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	920 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	916 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	912 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	908 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	904 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	900 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	901 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	905 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	909 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	913 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	917 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	921 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	925 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	927 Blue Heron IRR		Non-Lead - Copper	No	No	2004	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	926 Blue Heron IRR		Non-Lead - Copper	No	No	2004	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	929 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	933 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	937 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	941 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	945 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	949 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	953 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	957 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	961 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	965 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	969 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	973 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1000 Blue Heron IRR		Non-Lead - Copper	No	No	2004	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	964 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	960 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	956 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	952 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	948 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	944 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	940 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	936 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	932 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	928 Blue Heron		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	931 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead

	935 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	939 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	943 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	947 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	951 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	955 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	959 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	963 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	967 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	979 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	983 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	978 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	974 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	970 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	966 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	962 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	958 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	954 Heron Cir		Non-Lead - Copper	No	No	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	2004	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1695 Adolfo Lopez Bldg 6		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1700 Adolfo Lopez Seal Beach Blvd	Animal Care Shelter	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1650 Adolfo Lopez Dr	OC Flood Control	Non-Lead - Other	No	No	Unknown	6"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Other	Unknown	6"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1700 Saturn Way Bldg 5		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1700 1 Saturn Way		Non-Lead - Other	No	No	Unknown	4"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Other	Unknown	4"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1700 1/2 Saturn Way Irr		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1710 Apollo Ct Lot 4		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1718 Apollo Ct		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1720 Apollo Ct		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1709 Apollo Ct Bldg 3		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1729 Apollo Ct Bldg 2		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1799 Apollo Ct Bldg 1		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1790 Apollo Ct Lot 13		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1760 Apollo Ct 10		Non-Lead - Copper	No	No	Unknown	2'	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2'	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1799 1/2 Apollo Dr N Irr		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1770 1/2 Saturn Way Irr		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1770 Saturn Way Bldg 7		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	2365 Seal Beach Blvd Bldg 2		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	2311 Seal beach Blvd Bldg 4		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	2399 Seal Beach Blvd Bldg 3		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	2399 1/2 Seal Beach Blvd Irr		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	2401 Seal Beach Blvd		Non-Lead - Other	No	No	Unknown	6"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Other	Unknown	6"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	1710 Adolfo Lopez Dr Irr		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/5/2024		Non-lead
	215 1st St		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	213 1st St		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	211 1st St		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	209 1st St		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	205 1st St		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	203 1st St		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	24 Ocean Pl		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	22 Ocean Pl		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	20 Ocean Pl		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	18 Ocean Pl		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	14 Ocean Pl		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	12 Ocean Pl		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	10 Ocean Pl		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	203 Ocean Pl		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	205 Ocean Pl		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	207 Ocean Pl		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	209 Ocean Pl		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	211 Ocean Pl		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	213 Ocean Pl		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	208 Ocean Pl		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	13 Marina Way		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	15 Marina Way		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	17 Marina Way		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	19 Marina Way		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	21 Marina Way		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	24 Marina Way		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	16 Ocean Pl		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	22 Marina Way		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	20 Marina Way		Non-Lead - Copper	No	No	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-Lead - Copper	2019	1"	Field inspection	Yes	Visual inspection at the meter pit	2/7/2024		Non-lead
	70 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead

	68 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	67 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	66 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	65 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	64 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	62 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	61 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	60 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	59 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	58 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	57 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	56 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	55 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	54 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	53 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	52 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	51 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	50 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	49 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	48 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	47 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	46 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	45 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	44 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	43 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	42 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	41 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	40 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	39 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	37 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	36 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	35 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	34 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	33 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	32 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	31 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	29 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	28 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	27 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	26 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	25 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	24 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	23 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	22 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	21 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	20 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	19 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	18 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	17 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	16 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	15 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	14 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	13 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	11 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	10 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	8 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	7 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	6 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	5 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	4 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	3 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	1 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	16281 Pacific Coast	Taco Surf	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	2 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	2 D Shed Irr	Maintenance Yard	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	1 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	2 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	3 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	4 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	5 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	6 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	7 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead

	8 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	9 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	10 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	11 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	14 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	15 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	16 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	18 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	20 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	21 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	23 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	24 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	25 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	26 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	27 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	28 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	29 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	30 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	31 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	32 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	33 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	34 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	35 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	36 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	38 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	39 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	40 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	41 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	42 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	44 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	45 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	47 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	48 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	49 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	50 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	51 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	52 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	53 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	54 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	55 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	56 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	57 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	58 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	59 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	60 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	61 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	62 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	63 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	64 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	67 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	68 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	69 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	70 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	71 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	72 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	73 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	75 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	76 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	77 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	78 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	79 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	80 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	81 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	82 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	83 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	84 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	85 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	86 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	87 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	88 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	92 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	93 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead

	94 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	95 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	96 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	97 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	98 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	99 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	100 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	101 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	102 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	103 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	104 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	105 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	106 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	107 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	108 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	109 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	110 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	111 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	112 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	113 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	114 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	115 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	116 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	117 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	118 A Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	118 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	117 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	116 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	114 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	113 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	110 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	109 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	108 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	107 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	106 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	105 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	104 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	103 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	102 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	101 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	100 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	99 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	98 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	97 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	96 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	95 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	94 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	93 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	92 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	90 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	89 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	88 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	87 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	86 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	85 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	84 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	83 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	82 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	81 B Surfside Ave	Post Office	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	80 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	79 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	78 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	77 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	76 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	75 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	74 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	73 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	72 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	71 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	1 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	2 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	3 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead

	4 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	5 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	6 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	7 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	8 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	9 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	10 & 11 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	12 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	13 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	14 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	15 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	17 C Surfside Ave	Meter 1	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	17 C Surfside Ave	Meter 2	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	18 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	20 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	21 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	22 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	23 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	24 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	25 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	26 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	27 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	28 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	29 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	30 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	31 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	32 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	33 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	34 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	35 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	36 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	111 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	37 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	38 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	112 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	39 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	40 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	115 B Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	41 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	42 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	43 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	44 C Surfside Ave		Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	2/12/2024		Non-lead
	Aster Park Irr	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	1st Street & Pacific Coast	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	1st St Median	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Marina Drive Median Irr	City Meters	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Rivers End Park # A	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Rivers End Park # B	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Ocean & 1st Ave Rivers End	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	1st St Beach Complex	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	1st Street Shower/Fountian	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	1st St Restroom	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Eisenhower Park east of 8th	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Eisenhower Park west of 8th	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Eisenhower Park /Lifeguard HQ	City Meters	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Eisenhower Park Est of Main	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Eisenhower Park East of 10th	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Pier Mens Bathroom	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Pier Shower	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Main St Parking Lot	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	6th St Greenbelt	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	8th St Greenbelt	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Zoeter Field	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	211 8th St	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Main Alley GreenBelt	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	10th Alley GreenBelt	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	11th Alley GreenBelt	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	12th Alley GreenBelt	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	13th Alley GreenBelt	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	14th Alley GreenBelt	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Dolphin Alley GreenBelt	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead

	203 15th St	City Meters	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Marine Alley GreenBelt	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	332 11th St Zoeter Ball	City Meters	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	341 11th St Zoeter Field	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	1640 Balsa Ave	City Meters	Non-Lead - Other	No	No	Unknown	6"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Other	Unknown	6"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Marina & 5th St	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Bridgeport Ent NO	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Galleon & Schooner	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	530 Galion Alley	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Galleon & Dory Way	City Meters	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Schooner	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	People's Park	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	151 Marina Dr	City Meters - Marina Community Center	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Marina Park #2	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Marina Park #1	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Marina 2nd St island	City Meters	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	4th & Central	City Meters	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Pacific Coast & 13th Street	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Station 35	City Meters - Sewer Station	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	5b Blvd North of Electric Ave	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	5b Blvd south of Landing Ave	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	5b Blvd South of Pacific Coast	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Catalina & Crestview	City Meters	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Balsa Pkwy/ Riveria	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Mcgough Tennis & Pickleball Center	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Balboa & Pacific Coast	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	College Park West Entrance	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	College Park West Island	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Edison Park (Grassy Front Lot)	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Edison Park (Baseball Field)	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Edison Park (Garden)	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Bluebell Park	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	3900 Lampson Ave Tennis Center	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Lampson Irr next to Caltrans	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	4307 Lampson Ave Well Site	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Bluebell Park	City Meters	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Almond Park	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Almond Park Playground	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Almond Wall @ Sunflower Irr	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Tulip/Lampson	City Meters	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Median north of Tulip	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Arbor Park	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	4655 Lampson Ave	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Heather/Lampson Planter	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Heather Park Irr	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Heather Park/ Ironwood	City Meters	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Rose & Lampson Irr	City Meters	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Lampson South of Heather	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Candleberry/Lampson	City Meters	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	12500 Seal Beach Blvd	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Beverly Manor Reservoir/Landscape	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Beverly Manor/Seal Beach Blvd	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Seal Beach Median Irr	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Westminster Blvd in Median	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	4400 Northgate Irr	City Meters	Non-Lead - Copper	No	No	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	1.5"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Seal Beach Blvd in Med	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	W Blvd in Med 2	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Seal Beach Blvd/Westminster	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Public Works Yard/behind Shop Irr	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	1776 Adolfo Lopez	City Meters - Public Works Yard	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Police Dept/Sidewalk	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Police Dept/Sidewalk	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Police Dept Frt Irr	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Seal Beach Blvd south of Adolfo Lopez	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	5B Blvd South of Forrestal	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	3010 Old Ranch Parkway Irr	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Plastic	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Lampson Frontage Irr	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Senior Living Median	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	12491 Seal Beach Blvd Irr	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Seal Beach Blvd median Target	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Seal Beach Blvd median across from Islands	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	Seal Beach Blvd north of Worldsavers	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead

	1799 1/4 Apollo Dr	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-lead
	1770 3/4 Seal Beach Blvd	City Meters	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	3/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit			Non-lead
	Bldg 1	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 2	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 3	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 4	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 5	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 6	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 7	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 8	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 9	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 10	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 11	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 12	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 13	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 14	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 15	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 16	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 17	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 18	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 19	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 20	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 21	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 22	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 23	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 24	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 25	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 26	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 27	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 28	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 29	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 30	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 31	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 32	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 33	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 34	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 35	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 36	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 37	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 38	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 39	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 40	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 41	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 42	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 43	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 44	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 45	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 46	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 47	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 48	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 49	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 50	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 51	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 52	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 53	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 54	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 55	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 56	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 57	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 58	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 59	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 60	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 61	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 62	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 63	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 64	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 65	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 66	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 67	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 68	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 69	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead

	Bldg 70	Leisure World - Mutual 1	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 1	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 2	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 3	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 4	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 5	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 6	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 7	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 8	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 9	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 10	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 11	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 12	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 13	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 14	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 15	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 16	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 17	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 18	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 19	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 20	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 21	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 22	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 23	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 24	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 25	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 26	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 27	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 28	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 29	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 30	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 31	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 32	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 33	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 34	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 35	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 36	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 37	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 38	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 39	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 40	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 41	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 42	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 43	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 44	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 45	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 46	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 47	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 48	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 49	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 50	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 51	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 52	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 53	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 54	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 55	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 56	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 57	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 58	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 59	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 60	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 61	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 62	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 63	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 64	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 65	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 66	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 67	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 68	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 69	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 70	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead

	Bldg 71	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 72	Leisure World - Mutual 2	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 1	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 2	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 3	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 4	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 5	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 6	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 7	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 8	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 9	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 10	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 11	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 12	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 13	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 14	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 15	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 16	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 17	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 18	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 19	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 20	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 21	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 22	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 23	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 24	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 25	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 26	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 27	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 28	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 29	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 30	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 31	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 32	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 33	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 34	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 35	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 36	Leisure World - Mutual 3	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/10/2024		Non-lead
	Bldg 37	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 38	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 39	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 40	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 41	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 42	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 43	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 44	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 45	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 46	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 47	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 48	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 49	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 50	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 51	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 52	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 76	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 77	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 78	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 79	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 80	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 81	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 82	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 83	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 84	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 85	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 86	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 87	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 88	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 89	Leisure World - Mutual 4	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 69	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 70	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead

	Bldg 71	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 72	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 90	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 91	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 92	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 93	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 94	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 95	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 96	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 97	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 98	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 99	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 100	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 101	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 102	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 103	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 104	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 105	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 106	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 107	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 108	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 109	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 110	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 111	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 112	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 113	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 114	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 115	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 116	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 117	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 118	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 119	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 120	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 121	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 122	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 123	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 124	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 125	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 126	Leisure World - Mutual 5	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 53	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 54	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 55	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 56	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 57	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 58	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 59	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 60	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 61	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 62	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 63	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 64	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 65	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 66	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 67	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 68	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 127	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 128	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 129	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 130	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 131	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 132	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 133	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 134	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 135	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 136	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 137	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 138	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 139	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 140	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 141	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 142	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead

	Bldg 143	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 144	Leisure World - Mutual 6	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/11/2024		Non-lead
	Bldg 145	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 146	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 147	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 148	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 149	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 150	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 151	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 152	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 153	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 154	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 155	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 156	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 157	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 158	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 159	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 160	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 161	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 162	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 163	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 164	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 165	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 166	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 167	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 168	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 169	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 170	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 171	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 172	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 173	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 174	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 175	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 176	Leisure World - Mutual 7	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 177	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 178	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 179	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 180	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 181	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 182	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 183	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 184	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 185	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 186	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 187	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 188	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 189	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 190	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 191	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 192	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 193	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 194	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 195	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 196	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 197	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 198	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 199	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 200	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 201	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 202	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 203	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 204	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 205	Leisure World - Mutual 8	Galvanized	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Galvanized	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/12/2024		Non-lead
	Bldg 206	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 207	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 208	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 209	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 210	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 211	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 212	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead

	Bldg 213	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 214	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 215	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 216	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 217	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 218	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 219	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 220	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 221	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 222	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 223	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 224	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 225	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 226	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 227	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 228	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 229	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 230	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 231	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 232	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 233	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 234	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 235	Leisure World - Mutual 9	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 238	Leisure World - Mutual 10	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 239	Leisure World - Mutual 10	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 240	Leisure World - Mutual 10	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 241	Leisure World - Mutual 10	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 242	Leisure World - Mutual 10	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 243	Leisure World - Mutual 10	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 244	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 245	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 246	Leisure World - Mutual 13	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 247	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 248	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 249	Leisure World - Mutual 16	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 250	Leisure World - Mutual 17	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 251	Leisure World - Mutual 18	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 252	Leisure World - Mutual 19	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 253	Leisure World - Mutual 20	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 254	Leisure World - Mutual 21	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 255	Leisure World - Mutual 22	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 256	Leisure World - Mutual 23	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 257	Leisure World - Mutual 24	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 258	Leisure World - Mutual 25	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 259	Leisure World - Mutual 26	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 260	Leisure World - Mutual 27	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/16/2024		Non-lead
	Bldg 261	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 262	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 263	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 264	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 265	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 266	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 267	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 268	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 269	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 270	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 271	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 272	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 273	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 274	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 275	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 276	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 277	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 278	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 279	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 280	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 281	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 282	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 283	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 284	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 285	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead

	Bldg 286	Leisure World - Mutual 11	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/17/2024		Non-lead
	Bldg 6	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 7	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 8	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 9	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 10	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 11	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 34	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 35	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 36	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 37	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 38	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 39	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 40	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 41	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 42	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 43	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 44	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 45	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 46	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 47	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 55	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 56	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 57	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 58	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 59	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 60	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 61	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 62	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 63	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 64	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 65	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 66	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 67	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 68	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 69	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 70	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 71	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 72	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 73	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 74	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 75	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 76	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 77	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 78	Leisure World - Mutual 12	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 1	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 2	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 3	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 4	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 5	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 12	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 13	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 14	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 15	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 16	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 17	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 18	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 19	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 20	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 21	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 22	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 23	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 24	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 25	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 26	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 27	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 28	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 29	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 30	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 31	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 32	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead

	Bldg 33	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 48	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 49	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 50	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 51	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 52	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 53	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 54	Leisure World - Mutual 14	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/18/2024		Non-lead
	Bldg 1	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 2	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 3	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 4	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 5	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 6	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 7	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 8	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 9	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 10	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 11	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 12	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 13	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 14	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 15	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 16	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 17	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 18	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 19	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 20	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 21	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 22	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 23	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 24	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 25	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 26	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 27	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 28	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 29	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 30	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 31	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 32	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 33	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 34	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 35	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 36	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 37	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 38	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 39	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 40	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 41	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 42	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 43	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 44	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 45	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 46	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 47	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 48	Leisure World - Mutual 15	Non-Lead - Copper	No	No	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	1 1/4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 50	Leisure World - Mutual 16	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 51	Leisure World - Mutual 16	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 52	Leisure World - Mutual 16	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 53	Leisure World - Mutual 16	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 54	Leisure World - Mutual 16	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 1	Leisure World - Mutual 17	Galvanized	No	No	Unknown	4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Galvanized	Unknown	4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 2	Leisure World - Mutual 17	Galvanized	No	No	Unknown	4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Galvanized	Unknown	4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Bldg 3	Leisure World - Mutual 17	Galvanized	No	No	Unknown	4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Galvanized	Unknown	4"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Clubhouse 1	Leisure World - Miscellaneous	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Health Care Center	Leisure World - Miscellaneous	Non-Lead - Copper	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Clubhouse 2	Leisure World - Miscellaneous	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Clubhouse 3	Leisure World - Miscellaneous	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Clubhouse 4	Leisure World - Miscellaneous	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	Library	Leisure World - Miscellaneous	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead

	Clubhouse 5	Leisure World - Miscellaneous	Non-Lead - Copper	No	No	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-Lead - Copper	Unknown	2"	Field inspection	Yes	Visual inspection at the meter pit	4/19/2024		Non-lead
	1841 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1843 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1853 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1855 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1860 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1861 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1869 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1862 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1886 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1918 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1920 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1905 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1911 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1908 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1912 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1915 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1921 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1927 Anchor Way	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	604 Masthead Ct	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	616 Masthead Ct	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	605 Masthead Ct	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	611 Masthead Ct	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1921 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1916 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1911 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1920 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1909 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1910 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1907 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1905 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1894 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1895 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1887 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1885 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1884 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1876 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1862 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1848 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1857 Pelorus Ave	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1850 Flagstaff Ct	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1844 Flagstaff Ct	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1838 Flagstaff Ct	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1832 Flagstaff Ct	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1822 Flagstaff Ct	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1816 Flagstaff Ct	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1808 Flagstaff Ct	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1804 Flagstaff Ct	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1821 Flagstaff Ct	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1829 Flagstaff Ct	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	1839 Flagstaff Ct	Navy Housing	Non-Lead - Copper	No	No	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	Golf Course	Leisure World - Miscellaneous	Non-Lead - Other	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Other	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	Pool House	Leisure World - Miscellaneous	Galvanized	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Galvanized	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	Amphiteter	Leisure World - Miscellaneous	Galvanized	No	No	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Galvanized	Unknown	3"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	Library	Leisure World - Miscellaneous	Non-Lead - Copper	No	No	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	1 1/2"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	Maintance Building 1	Leisure World - Miscellaneous	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	Maintance Building 2	Leisure World - Miscellaneous	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	Maintance Building 3	Leisure World - Miscellaneous	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	Maintance Building 4	Leisure World - Miscellaneous	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	Maintance Building 5	Leisure World - Miscellaneous	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead
	Maintance Building 6	Leisure World - Miscellaneous	Non-Lead - Copper	No	No	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-Lead - Copper	Unknown	3/4"	Field inspection	Yes	Visual inspection at the meter pit	4/20/2024		Non-lead

Public Accessibility Documentation

Enter Date Last Updated:	10/15/24

Purpose of this worksheet: For systems to provide documentation to states on how they met the public accessibility requirements of the LCRR.

1. Select the location identifiers that you use for your service line inventory. Check all that apply.

- [x] Address
- [x] Street
- [x] Block
- [x] Intersection
- [x] Landmark
- [ ] GPS Coordinates
- [ ] Other

If "Other", please describe:

2. Does ***every service line*** have a location identifier? *Yes*

If "No", explain. Remember that location identifiers are required for service lines that are lead and galvanized requiring replacement.

3. How are you making your inventory publicly accessible? Check all that apply. *Remember that if your system serves > 50,000 people, you* ***must*** *provide the inventory online.*

- [ ] Interactive online map
- [ ] Static online map
- [x] Online spreadsheet
- [ ] Printed service line map
- [ ] Printed tabular data
- [ ] Information on water utility mailings or newsletter
- [x] Hard copy information available in water system office
- [ ] Other

If "Other", please describe:

Inventory Summary

Enter Date Last Updated:	10/15/24

Purpose of this worksheet: For water systems to provide a summary of their service line inventory, including information on ownership, inventory format, and the number of service lines for each of the four required materials classifications.
Note that water systems may submit their completed LCRR initial inventories before October 16, 2024. Pursuant to 40 CFR 141.85(e), water systems must provide public notification to customers served by lead, galvanized requiring replacement, and/or lead status unknown service lines within 30 days after DDW's approval of the completed inventory. DDW will notify water systems by email when their inventory submission is approved.

Part 1. General Information

1. Is this the **Initial Inventory** or an **Inventory Update**?	*Initial Inventory*
2. Who **owns the service lines** in your system? *If other, please explain below.*	*Ownership is split, meaning that the system owns and portion and the customer owns a portion*
3. When were lead service lines banned in your system? Reference the state or local ordinance that banned the use of lead in your system.	
June 19, 1986. Section 1417 of the Safe Drinking Water Act (SWDA) [Section 300g-6 of 42 U.S. Code (USC)]	
4. Do you have lead goosenecks, pigtails or connectors in your system?	*No*

Part 2. Inventory Format

Describe your inventory format in the space provided below (*e.g.* , the **Detailed Inventory** worksheet, custom spreadsheet, GIS map). Provide the filename and/or web address if applicable.

Detailed Inventory worksheet

Part 3. Inventory Summary Table [1]

*If you are using the **Detailed Inventory** worksheet, the classifications you select in the Column "Entire Service Line Material Classification" will be used to calculate the total number of service lines for each of the four material classifications below. Otherwise, enter the number of service lines* blue- and aqua colored-cells.

Table 3.1. Inventory Summary by Ownership

Service Line Material Classification	Number of Water System Owned Service Lines	Number of Customer Owned Service Lines
Lead	0	0
Galvanized	108	163
Galvanized Requiring Replacement	0	0
Non-Lead - Copper	5807	5440
Non-Lead - Plastic	66	377
Non-Lead - Other	9	10
Unknown	0	0
TOTAL	5990	5990

Table 3.2. Inventory Summary Total

Service Line Material Classification	Definition	Total
Lead	Any portion of the service line is known to be made of lead.	0
Galvanized Requiring Replacement (GRR)	The service line is not made of lead, but a portion is galvanized and the system is unable to demonstrate that the galvanized line was never downstream of a lead service line.	0
Non-Lead	All portions of the service line are known NOT to be lead or GRR through an evidence-based record, method, or technique.	5,990
Lead Status Unknown	The service line material is not known to be lead, GRR, or non-lead line. For the entire service line or a portion of it (in cases of split ownership), there is no evidence to support material classification.	0

Lead Gooseneck/Fitting	A short section of piping, typically not exceeding two feet, which can be bent and used for connections between rigid service piping.	0
Total Number of Service Lines		5,990

Notes
This summary table is for reporting material for the entire service line connecting the water main to the customer's plumbing. See the Section 4 of the Inventory Instructions or Exhibit 2-2 of U.S. EPA's Guidance for Developing and Maintaining a Service Line Inventory (US EPA, 2022).